











ACCESSORIES MACH II

ACCESSORIES MACH II		
Item No.	Product name	Product description
HYDRED113 	Aluminium floor nozzle	The MACH II floor nozzle has a width of 500 mm and a diameter of 50 mm. It also has individually height-adjustable castors.
HYDRED117 	Ball valve C-Storz	The MACH II size C ball valve 2" made of brass for shutting off the MACH II suction hose has a fixed coupling made of light metal on both sides. The shut-off reliably prevents backflow into deeper areas.
HYDRED131 	Blind coupling C-Storz	The MACH II blind coupling in size C is oil and petrol resistant. The coupling can be firmly connected to the tank of the industrial vacuum cleaner by using the chain.
IND2000-2 	Suction tube	The 120 cm long MACH II PVC suction pipe with a 45° bend and a diameter of 50 mm enables ergonomic working.
SZ702 	Suction hose extension	With the 12 m MACH II suction hose extension incl. socket and connector, the total length of the hose can be extended to a total of 24 m.
TOR108 	Suction hose	12 m long MACH II suction hose incl. one C-Storz coupling and one socket.
TOR109 	Drain hose and drain hose extension	12 m long MACH II drain hose incl. two C-Storz couplings. Also functions as a drain hose extension: With the 12 m MACH II drain hose extension incl. two C-Storz couplings, the total length of the hose can be extended to a total of 24 m.
TOR158 	Hose reinforcement / anti-kink protection	The hose reinforcement prevents the suction hose from kinking after the C-coupling and thus disrupting the suction operation. The hose reinforcement has been included as standard in the MACH II set since 2023.

In addition to dimensionally stable hoses, you can also purchase pressure hoses (fire hoses) from us in sizes C42, C52 and B75.









ACCESSORIES MACH I

ACCESSORIES MACH I		
Item No.	Product name	Product description
FAN2006 	Net bag incl. Velcro fastener	The tear-proof net bag of the MACH I is attached to the end of the suction tube located in the tank by means of a Velcro fastener. Coarse solids are collected inside and can be easily removed after use.
HYDBOY163 	Floor nozzle	The MACH I floor nozzle with a width of 450 mm and a diameter of 38 mm enables faster vacuuming on larger surfaces.
HYDBOY171 	Joint nozzle	The MACH I joint nozzle enables you to suck up liquids in joints.
IND1000-1 	Suction tube	The 120 cm long MACH I PVC suction pipe with a 45° bend and a diameter of 40 mm enables ergonomic working.
SZ801 	Drain hose extension	With the 10 m MACH I drain hose extension incl. two C-Storz couplings, the total length of the hose can be extended to a total of 20 m.
SZ802 	Suction hose	10 m long MACH I suction hose incl. socket and suction connection.
SZ805 	Suction hose extension	With the 10 m MACH I suction hose extension incl. two sockets, the total length of the hose can be extended to a total of 20 m.
SZ807 	Drain hose	10 m long MACH I drain hose incl. two C-Storz couplings.




ACCESSORIES ADDITIONAL PACKAGE

ACCESSORIES ADDITIONAL PACKAGE FOR MACH II

Item No.	Product name	Product description
HYDRED117 	Ball valve C-Storz	The MACH II size C ball valve 2" made of brass for shutting off the MACH II suction hose has a fixed coupling made of light metal on both sides. The shut-off reliably prevents backflow into deeper areas.
HYDRED131 	Blind coupling C-Storz	The MACH II blind coupling in size C is oil and petrol resistant. The coupling can be firmly connected to the tank of the industrial vacuum cleaner by using the chain.
TOR131-B 	Floor nozzle	The MACH II aluminium floor nozzle with a width of 450 mm has individually height-adjustable castors and a 40 mm connection for the suction pipe included in the additional package.
TOR143 	Suction hose	The oil-resistant, 4 m long MACH II suction hose with a diameter of 40 mm is especially suitable for use in oil spills.
TOR145 	Suction pipe	The oil-resistant, 0.5 m long 2-piece MACH II suction pipe made of stainless steel with a diameter of 40 mm is especially suitable for use in oil spills. Each segment of the suction pipe must be ordered individually.
TOR147 	Joint nozzle	The MACH II joint nozzle enables you to suck up liquids in joints.




ACCESSORIES UNIVERSAL SQUEEGEE

ACCESSORIES UNIVERSAL SQUEEGEE

Item No.	Product name	Product description
HYDMS05 	Nylon broom bar	Replacement broom bar for the universal squeegee.
HYDMS06 	Plastic sliding blade	Replacement sliding blade for the universal squeegee.
HYDMS14 	Piassava broom bar	Replacement broom bar for the universal squeegee. Instead of the nylon broom, the universal squeegee can also be used with the new, antistatic and moisture-resistant Piassava broom bar made of natural fibres. As it is a natural product, the natural fibres may become brittle when dry.

ACCESSORIES SUBMERSIBLE PUMPS

ACCESSORIES SUBMERSIBLE PUMPS

Item No.	Product name	Product description
HYDZ005-1 	Flat suction ring for the submersible pump B-ROSS	With the flat suction ring, the B-ROSS submersible pump can be used for shallow suction. When using the attachment, it is possible to pump down to a low water level of a few millimetres. The flat suction ring is included as standard with every B-ROSS pump and can be ordered separately if required (in case of wear).
HYDRED135 	Ball valve B-Storz	The size B ball valve 2" made of brass for shutting off the pumps B-ROSS, GIGA and TERA has a fixed coupling made of light metal on both sides. The shut-off reliably prevents backflow into deeper areas.
HYDZFL 	Float switch for the submersible pumps of the ROSS series	The FLAT-ROSS, B-ROSS and C-ROSS submersible pumps of the ROSS series can be optionally equipped with a float switch.